



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/687,299	10/15/2003	Ziming He		7922

25859 7590 02/09/2005

WEI TE CHUNG
FOXCONN INTERNATIONAL, INC.
1650 MEMOREX DRIVE
SANTA CLARA, CA 95050

EXAMINER

CAO, HUEDUNG X

ART UNIT PAPER NUMBER

2821

DATE MAILED: 02/09/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/687,299

Applicant(s)

HE ET AL.

Examiner

Huedung X. Cao

Art Unit

2821

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 October 2003.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-18 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-18 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 10/15/03 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Specification

1. The disclosure is objected to because of the following informalities: In the Background of the Invention, Applicant describes one of the figures with all its labels of the US Patent 4,605,933 but does not include it in the drawings of this Application..

Appropriate correction is required.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over BUTSCHER (4,605,933) in view of LEE (6,839,028).

As per claim 1, Butscher teaches the claimed "antenna" (Butscher, the microstrip patch antenna in figure 3 comprising a dielectric 36 sandwiched between the conductive ground 12 and the planar radiating disk 20) comprising: "a planar ground plane" (Butscher, the conductive ground plane 12; column 3, lines 15-17); "radiating element parallelly disposed above the ground plane with predetermined distance" (Butscher, the radiating disk 20; column 3, lines 12-15); "a plurality of dielectric supporting portions disposed between the ground plane and the radiating element for supporting the

Art Unit: 2821

radiating element" (Butscher, the high dielectric spacer 36 and the collar 22; column 3, lines 15 and 20); "a match tab electrically connected with the radiating element" (Butscher, the matching tab 24 which is extending from the lower ground plane 12 and couples with the radiating disk 20 to provide a desired antenna impedance matching; column 3, line 21); and "a feeder cable" (Butscher, the coaxial feed line attached to the launcher 28, figure 3) comprising an inner conductor electrically connecting with the match tab (Butscher, the feed line 30 connected to the disk 20 and the impedance matching tab 24 which is extending from the lower ground plane 12 and couples with the radiating disk 20 to provide a desired antenna impedance matching; column 2, lines 55-57) and an outer shield conductor electrically connecting with the ground plane" (Butscher, column 2, lines 63-66). It is noted that Butscher does not teach a "patch" antenna as claimed. Lee teaches that a "patch" antenna is well known in the art (Lee, column 5, lines 23-30; the antenna components are arranged as patches in a dielectric; the radiating 204a, the connecting patch 202 and the matching tab 204b are formed in a metal sheet in which the inner conductor of the feed cable electrically connecting with the matching tab element). It would have been obvious to arrange the microstrip antenna as a patch antenna to have the antenna model with low profile, easy fabrication and low cost (Lee, column 3, lines 7-14).

Claim 2 adds into claim 1 "the ground plane comprises a main ground plane" (Butscher, the ground plane 12), "a sub-ground plane disposed above the main ground plain" (Butscher, the ground plane 14) and "a shorted strap for connecting the sub-ground plane to the main ground plane" (Butscher, the conducting strap 37; figure 3).

Claim 3 adds into claim 2 "the cable outer shield conductor is electrically connected with the sub-ground plane" (Butscher, the shielding of the feed line couples to the ground plane 14; column 2, lines 65-66).

Claim 4 adds into claim 3 "the sub-ground plane is coplanar with the match tab" which Butscher does not teach. Butscher only teaches that the sub-ground plane 14 is co-planar with the radiating disk 20. However, Lee teaches that the arrangement of "the radiating patch to be coplanar with the match tab" (therefore the sub-ground plane is co-planar with both the radiating disk and the match tab) is well known in the art (Lee, the coplanar radiating element 204a and the match tab 204b; figure 2, column 5, lines 38-40; column 7, lines 56-62). It would have been obvious to arrange the ground plane and the match tab in a co-planar manner to have the antenna model with low profile, easy fabrication and low cost (Lee, column 3, lines 7-14).

Claim 5 adds into claim 4 "the match tab and the radiating element are formed by one metal sheet" which Butscher does not teach. However, Lee teaches that the arrangement of "the match tab and the radiating element are formed by one metal sheet" is well known in the art (Lee, the coplanar radiating element 204a, the conductive patch 202, and the match tab 204b are formed by one metal sheet; figure 2, column 5, lines 38-40; column 7, lines 56-62). It would have been obvious to form the ground plane and the match tab in one metal sheet to have the antenna model with low profile, easy fabrication and low cost (Lee, column 3, lines 7-14).

Claim 6 adds into claim 1 "said radiating element and match tab are coplanar" which Butscher does not teach. However, Lee teaches that the arrangement of "said radiating element and match tab in a coplanar manner" is well known in the art (Lee, the coplanar radiating element 204a and the match tab 204b; figure 2, column 5, lines 38-40; column 7, lines 56-62). It would have been obvious to arrange the ground plane and the match tab in a co-planar manner to have the antenna model with low profile, easy fabrication and low cost (Lee, column 3, lines 7-14).

As per claim 7, Butscher teaches the claimed "antenna for an electronic device" (Butscher, the microstrip patch antenna in figure 3 comprising a dielectric 36 sandwiched between the conductive ground 12 and the planar radiating disk 20) comprising: "a palannar metal sheet" (Butscher, the radiating disk 20; column 3, lines 12-15); "a first ground plane disposed adjacent to the metal sheet" (Butscher, the ground plane 14 disposed adjacent to a metal sheet of the radiating disk 20); "a second ground plane parallely spaced from the metal sheet a predetermined distance" (Butscher, the conductive ground plane 12 parallely spaced from the disk 20; column 3, lines 15-17); "a plurality of dielectric supporting portions disposed between the metal sheet and the second ground plane to support the metal sheet" (Butscher, the high dielectric spacer 36 and the collar 22; column 3, lines 15 and 20); "a shorted patch connecting the first ground plane to the second ground plane" (Butscher, the conducting strap 37); and ""a feeder cable" (Butscher, the coaxial feed line attached to the launcher 28, figure 3) comprising an outer shield conductor electrically connecting with the ground plane" (Butscher, column 2, lines 63-66). It is noted that Butscher does not

Art Unit: 2821

teach a "patch" antenna as claimed. Lee teaches that a "patch" antenna is well known in the art (Lee, column 5, lines 23-30; the antenna components are arranged as patches in a dielectric). Butscher also does not teach "planar metal sheet comprising a first element, a second element and a connecting patch connecting the first element with the second element" as claimed. Lee teaches that such planar metal sheet comprising the radiating element, the matching tab and the connecting patch is well known in the art (Lee, the radiating 204a, the connecting patch 202 and the matching tab 204b are formed in a metal sheet in which the inner conductor of the feed cable electrically connecting with the matching tab element). It would have been obvious to arrange the microstrip antenna as a patch antenna with a planar metal containing the radiating element, conductive patch and the matching tab to have the antenna model with low profile, easy fabrication and low cost (Lee, column 3, lines 7-14).

Claim 8 adds into claim 7 "the first ground plane is coplanar with the metal sheet" which Butscher does not teach. Butscher only teaches that the sub-ground plane 14 is co-planar with the radiating disk 20. However, Lee teaches that the arrangement of "the radiating patch to be coplanar with the match tab" (therefore the sub-ground plane is co-planar with both the radiating disk and the match tab) is well known in the art (Lee, the coplanar radiating element 204a and the match tab 204b; figure 2, column 5, lines 38-40; column 7, lines 56-62). It would have been obvious to arrange the ground plane and the match tab in a co-planar manner to have the antenna model with low profile, easy fabrication and low cost (Lee, column 3, lines 7-14).

Claim 9 adds into claim 8 “the feeder cable lies on the first ground plane” which Butscher teaches in figure 3 (Butscher’s feed line 30 lies on the ground plane 14).

Claim 10 adds into claim 9 “the first and second elements are both rectangular” which Butscher does not teach. However, Lee teaches that the shape of “the radiating patch and the match tab” are rectangular is well known in the art (Lee, the coplanar radiating element 204a and the match tab 204b; figure 2, column 5, lines 38-40; column 7, lines 56-62). It would have been obvious to arrange the ground plane and the match tab in rectangular shape to have the antenna model with low profile, easy fabrication and low cost (Lee, column 3, lines 7-14, column 5, lines 44-46).

Claim 11 adds into claim 7 “the first element and the second element are coplanar with each other” which Butscher does not teach. However, Lee teaches that the arrangement of “said radiating element and match tab in a coplanar manner” is well known in the art (Lee, the coplanar radiating element 204a and the match tab 204b; figure 2, column 5, lines 38-40; column 7, lines 56-62). It would have been obvious to arrange the ground plane and the match tab in a co-planar manner to have the antenna model with low profile, easy fabrication and low cost (Lee, column 3, lines 7-14).

As per claim 12, Butscher teaches the claimed “antenna for an electronic device” (Butscher, the microstrip patch antenna in figure 3 comprising a dielectric 36 sandwiched between the conductive ground 12 and the planar radiating disk 20) comprising: “a first element” (Butscher, the radiating disk 20; column 3, lines 12-15); “a second element wherein the connection patch has a characteristic impedance same as that of the input impedance of the second element” (Butscher, the matching tab 24); “a

Art Unit: 2821

ground portion disposed adjacent to the first element” (Butscher, the ground plane 14 disposed adjacent to a metal sheet of the radiating disk 20); and “a feeder cable” (Butscher, the coaxial feed line attached to the launcher 28, figure 3) comprising an outer shield conductor electrically connecting with the ground plane” (Butscher, column 2, lines 63-66). It is noted that Butscher does not teach a “patch” antenna as claimed. Lee teaches that a “patch” antenna is well known in the art (Lee, column 5, lines 23-30; the antenna components are arranged as patches in a dielectric). Butscher also does not teach “a connecting patch connecting the first element with the second element” as claimed. Lee teaches that such planar metal sheet comprising the radiating element, the matching tab and the connecting patch is well known in the art (Lee, the radiating 204a, the connecting patch 202 and the matching tab 204b are formed in a metal sheet in which the inner conductor of the feed cable electrically connecting with the matching tab element). It would have been obvious to arrange the microstrip antenna as a patch antenna with a planar metal containing the radiating element, conductive patch and the matching tab to have the antenna model with low profile, easy fabrication and low cost (Lee, column 3, lines 7-14).

Claim 13 adds into claim 12 “a plurality of dielectric supporting portions are disposed between the metal sheet and the ground portion to support the metal sheet” (Butscher, the high dielectric spacer 36 and the collar 22; column 3, lines 15 and 20).

Claim 14 adds into claim 13 “the first element, the second element and the connecting patch are formed in one metal sheet” which Butscher does not teach. Lee teaches that such planar metal sheet comprising the radiating element, the matching

Art Unit: 2821

tab and the connecting patch is well known in the art (Lee, the radiating 204a, the connecting patch 202 and the matching tab 204b are formed in a metal sheet in which the inner conductor of the feed cable electrically connecting with the matching tab element). It would have been obvious to arrange the microstrip antenna as a patch antenna with a planar metal containing the radiating element, conductive patch and the matching tab to have the antenna model with low profile, easy fabrication and low cost (Lee, column 3, lines 7-14).

Claim 15 adds into claim 14 "the ground portion comprises an upper ground plane" (Butscher, the ground plane 14 disposed adjacent to a metal sheet of the radiating disk 20), "lower ground plane" (Butscher, the conductive ground plane 12 parallelly spaced from the disk 20; column 3, lines 15-17) and "a short patch connecting the upper ground plane to the lower ground plane" (Butscher, the conducting strap 37).

Claim 16 adds into claim 15 "the outer shield conductor electrically connects with the upper ground plane" (Butscher, column 2, lines 63-66).

Claim 17 adds into claim 16 "the metal sheet is parallel to the lower ground plane" which Butscher does not explicitly teach. Butscher only teaches the radiating disk 20 is on a metal sheet parallel to the lower ground plane (figure 3), but does not teach the matching tab is also on the metal sheet "parallel to the lower ground plane". However, Lee teaches that the arrangement of "the match tab and the radiating element are formed by one planar metal sheet" is well known in the art (Lee, the coplanar radiating element 204a, the conductive patch 202, and the match tab 204b are formed by one planar metal sheet; figure 2, column 5, lines 38-40; column 7, lines 56-62). It

Art Unit: 2821

would have been obvious to form the ground plane and the match tab in one planar metal sheet parallel to the ground plane to have the antenna model with low profile, easy fabrication and low cost (Lee, column 3, lines 7-14).

Claim 18 adds into claim 12 "said first element and said second element are coplanar with each other" which Butscher does not teach. However, Lee teaches that the arrangement of "said radiating element and match tab in a coplanar manner" is well known in the art (Lee, the coplanar radiating element 204a and the match tab 204b; figure 2, column 5, lines 38-40; column 7, lines 56-62). It would have been obvious to arrange the ground plane and the match tab in a co-planar manner to have the antenna model with low profile, easy fabrication and low cost (Lee, column 3, lines 7-14).

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Huebner et al. (USP 6,768,461) teach an ultra broadband thin planar antenna.

Chen (USP 6,795,023) teaches a broadband suspended plate antenna with multi feed points.

Lim (USP 6,700,539) teaches a dielectric patch resonator antenna.

Art Unit: 2821

Inquires

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Huedung Cao whose telephone number is (571) 272-1939.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don Wong, can be reached on (571) 272-1834. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

6. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read 'Huedung Cao', with a stylized flourish at the end.

Huedung Cao
Patent Examiner